



## SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

### SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name : Shampoo for hull and deck

Product code : SHAMPOO SHINE

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.3. Details of the supplier of the safety data sheet

Registered company name : MATT CHEM SAS

Address : 37, rue de Fontenay (92) Bagneux FRANCE

Telephone : +33 1 42 53 73 73 - Fax : +33 1 47 35 27 28

E-mail : info@mattchem.fr

#### 1.4. Emergency telephone number : 01-45-42-59-59.

Association/Organisation : ORPHILA - INRS - <http://www.centres-antipoison.net>.

### SECTION 2 : HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Serious eye damage, Category 1 (Eye Dam. 1, H318).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Possibility of irritation to the eyes.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

#### 2.2. Label elements

Detergent mixture (see section 15).

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :

GHS05

Signal Word :

DANGER

Product identifiers :

EC 271-657-0 AMIDES, COCO, N,N-BIS(HYDROXYETHYL)

CAS 61791-28-4 ETHOXYLAT D'ALCOOL GRAS

EC 500-195-7 ETHOXYLAT D'ALCOOL GRAS

EC 288-330-3 SEL DE SODIUM D'UN ALCANE SULFONATE

Hazard statements :

H318 Causes serious eye damage.

Precautionary statements - Prevention :

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statements - Response :

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Precautionary statements - Disposal :

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Hazard symbols :

Irritant

Risk phrase :

R 36 Irritating to eyes.

Safety phrase :

S 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S 60 This material and its container must be disposed of as hazardous waste.

2.3. Other hazards

No data available.

---

### SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1. Substances

No substances fulfil the criteria set forth in annexe II section A of the REACH regulation (EC) n° 1907/2006.

#### 3.2. Mixtures

Composition :

Identification Name Classification %

CAS: 68603-42-9 EC: 271-657-0 AMIDES, COCO, N,N-BIS(HYDROXYETHYL) GHS05, DgrXiH:315-318R: 38-41 0 <= x % < 2.5

CAS: 61791-28-4 ETHOXYLAT D'ALCOOL GRAS GHS05, GHS09, DgrXi,NH:318-400R: 50-41 0 <= x % < 2.5

CAS: 68585-34-2 ALKYL ETHER SULFATE DE SODIUM GHS07, WngXiH:315-319R: 36/38 0 <= x % < 2.5

CAS: 68131-39-5 EC: 500-195-7 ETHOXYLAT D'ALCOOL GRAS GHS05, GHS09, DgrXi,NH:318-400R: 41-50 0 <= x % < 2.5

CAS: 27323-41-7 EC: 248-406-9 ALKYL ARYL SULFONATE DE TRIETHANOLAMINE GHS07, WngXiH:315-319R: 36/38 0 <= x % < 2.5

CAS: 85711-69-9 EC: 288-330-3 SEL DE SODIUM D'UN ALCANE SULFONATE GHS05, DgrXiH:315-318R: 38-41 0 <= x % < 2.5

---

### SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

#### 4.1. Description of first aid measures

In the event of splashes or contact with eyes :

Wash thoroughly with soft, clean water for 15 minutes holding the eyelids open.

Regardless of the initial state, refer the patient to an ophthalmologist and show him the label.

N/A

In the event of splashes or contact with skin :

N/A

In the event of swallowing :

Seek medical attention, showing the label.

N/A

N/A

#### 4.2. Most important symptoms and effects, both acute and delayed

No data available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

---

### SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

N/A

#### 5.1. Extinguishing media

#### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

#### 5.3. Advice for firefighters

No data available.

---

### SECTION 6 : ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Accidental discharge may be to generate slipping surface.

For non fire-fighters

Avoid any contact with the skin and eyes.

#### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

#### 6.3. Methods and material for containment and cleaning up

N/A

#### 6.4. Reference to other sections

No data available.

---

### SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

#### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Emergency showers and eye wash stations will be required in facilities where the mixture is handled constantly.

Fire prevention :

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

Observe precautions stated on label and also industrial safety regulations.

Avoid eye contact with this mixture at all times.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in original recork packing in fresh zone, aside freezing, heat and sun reverberation.

Packaging

Always keep in packaging made of an identical material to the original.

#### 7.3. Specific end use(s)

No data available.

---

## SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

### 8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

#### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties :

- Impervious gloves in accordance with standard EN374

#### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Uses protect creams before handling.

---

## SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

General information :

Physical state : fluid liquid.

Important health, safety and environmental information

neutral.

pH : 7.50 .

Boiling point/boiling range : not specified.

Flash point interval : not relevant.

Vapour pressure : not relevant.

Density : = 1

Water solubility : Dilutable.

Melting point/melting range : not specified.  
Self-ignition temperature : not specified.  
Decomposition point/decomposition range : not specified.

## 9.2. Other information

No data available.

---

## SECTION 10 : STABILITY AND REACTIVITY

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

### 10.3. Possibility of hazardous reactions

No data available.

### 10.4. Conditions to avoid

Avoid :

- frost

### 10.5. Incompatible materials

### 10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)

- carbon dioxide (CO<sub>2</sub>)

---

## SECTION 11 : TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

Repeated or prolonged contact with the mixture may cause removal of natural oil from the skin resulting in non-allergic contact dermatitis and absorption through the skin.

May have irreversible effects on the eyes, such as tissue damage in the eye, or serious physical decay of sight, which is not fully reversible by the end of observation at 21 days.

Serious eye damage is typified by the destruction of cornea, persistent corneal opacity and iritis.

#### 11.1.1. Substances

Acute toxicity :

ETHOXYLAT D'ALCOOL GRAS (CAS: 68131-39-5)

Oral route : DL50 > 6400 mg/kg

Species : Rat (recommended by the CLP)

Dermal route : DL50 > 5000 mg/kg

Species : Rat (recommended by the CLP)

Inhalation route : CL50 > 50000 mg/l

Species : Rat (recommended by the CLP)

ALKYL ETHER SULFATE DE SODIUM (CAS: 68585-34-2)

Oral route : DL50 > 10000 mg/kg

Species : Rat (recommended by the CLP)

Species : Rabbit (recommended by the CLP)

ETHOXYLAT D'ALCOOL GRAS (CAS: 61791-28-4)

Oral route : DL50 > 5000 mg/kg

Species : Rat (recommended by the CLP)

Dermal route : DL50 > 5000 mg/kg

Species : Rat (recommended by the CLP)

Inhalation route : CL50 = 500000 mg/l

Species : Rat (recommended by the CLP)

#### 11.1.2. Mixture

No toxicological data available for the mixture.

Serious damage to eyes/eye irritation :

Causes serious eye damage.

---

### SECTION 12 : ECOLOGICAL INFORMATION

Preparation considered as easily biodegradable according to the standard OECD 301 F.

#### 12.1. Toxicity

##### 12.1.1. Substances

No aquatic toxicity data available for the substances.

##### 12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

#### 12.2. Persistence and degradability

The product object of the test is easily biodegradable according to the standard OECD 301 F.

#### 12.3. Bioaccumulative potential

No data available.

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

No data available.

#### 12.6. Other adverse effects

No data available.

---

### SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

---

### SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2009 - IMDG 2008 - ICAO/IATA 2009).

---

### SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Particular provisions :

No data available.

- Labelling for detergents (EC Regulation No. 648/2004, 907/2006) :

- 5 % or over but less than 15 % : anionic surfactants

- 5 % or over but less than 15 % : nonionic surfactants

## 15.2. Chemical safety assessment

No data available.

---

### **SECTION 16 : OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Title for H, EUH and R indications mentioned in section 3 :

- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H400 Very toxic to aquatic life.
- R 36/38 Irritating to eyes and skin.
- R 38 Irritating to skin.
- R 41 Risk of serious damage to eyes.
- R 50 Very toxic to aquatic organisms.

Abbreviations :

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).