



Automotive Aftermarket Division

3M™ 55535 Finish Control Spray

1) Part Numbers

55535

2) Description and end uses

3M™ Finish Control Spray is the ideal product to check the progress in any finishing operation, particularly to see if micro scratches from previous sanding steps are as polished out as they should be.

It is specially designed and tested to be compatible with all cured refinish paint systems, leaving any surface clean and ready for inspection.

Particularly recommended to always use after the first compounding step.

Product highlights:

- Reliably removes any compound residue
- Reduces the risk of undetected micro scratches coming back
- Helps to achieve the perfect finish result
- Also suitable for a quick surface clean, leaving no streaks

3) Physical Properties

Base	:	Water-based
Colour	:	White
Consistency	:	Foam
Solvent	:	Water
Propellant	:	Hydrocarbon
VOC	:	50g
Application temperature	:	+15°C to +30°C



Technical Data Sheet

Effective: 18/08/2020 Supersedes: 07/08/2007

4) Directions for Use

- Wait until compounded/polished area has cooled off
- Shake can before use
- Apply a liberal amount of Control Spray from a distance of 20 30 cm to surface
- Wipe off with a high-performance wipe (i.e. 34568 3M™ Disposable Polishing Wipe or 50400 Polishing Wipe)
- Control for residual sanding scratches. If these scratches are still visible, repeat previous compound step

CAUTION: Do not apply to hot surfaces (>30°C)

5) Storage

Store in a cool dry place. Storage temperature must not exceed 50°C.

Shelf life is 24 months from date of manufacture under normal storage conditions. Refer to “Lot Number” and “Best Before Date” on can.

6) Safety

Please refer to the Material Safety Data Sheet or contact your local 3M™ Toxicology Department.

3M™ 55535 Finish Control Spray is designed FOR PROFESSIONAL INDUSTRIAL USE ONLY.

7) Disclaimer

All statements, technical information and recommendations are based on tests we believe to be reliable as at the date of hereof, but the accuracy or completeness thereof is not guaranteed. Please ensure before using the product that it is suitable for your intended use. Since the conditions and methods of use of the product and of the information referred to herein are beyond our control, other than for fraudulent misrepresentation, 3M expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.



Technical Data Sheet

Effective: 18/08/2020 Supersedes: 07/08/2007

For Additional Health and Safety Information

<p>3M United Kingdom plc Automotive Aftermarket 3M Centre, Cain Road, Bracknell, RG12 8HT Tel: +44 (0)161 237 6391 aadukenquiries@mmm.com www.3Mbodyshop.co.uk</p>	<p>3M Ireland Limited Automotive Aftermarket The Iveagh Building Carrickmines Park Carrickmines , Dublin 18 Tel: +353 12160301 aadukenquiries@mmm.com www.3Mbodyshop.co.uk</p>	<p>3M Denmark a/s Automotive Aftermarket Hannemanns Allé 53 2300 København S Tel: +45 43480100 aadukenquiries@mmm.com www.3MAuto.dk</p>
<p>3M Finland, Suomen 3M Oy Automotive Aftermarket Keilaranta 6 02150 Espoo Tel: 09 5252 1 aadukenquiries@mmm.com www.3M.fi/autotuotteet</p>	<p>3M Svenska AB Automotive Aftermarket Herrjärva torg 4 170 67 Solna Tel: 08-922100 aadukenquiries@mmm.com www.3M.se/bileftermarkad</p>	<p>3M Norge AS Automotive Aftermarket Kanalveien 2 2004 Lillestrøm Tel: 06384 aadukenquiries@mmm.com www.3m.no/auto</p>
<p>3M Latvija K.Ulmana 5 Riga, LV-1004 Tel: +371 67066120 aadukenquiries@mmm.com www.3m.lv</p>	<p>3M Eesti OU Pärnu mnt. 158 11317 Tallinn Tel: +372 6 115 902 aadukenquiries@mmm.com www.3m.ee</p>	<p>3M Lietuva A.Goštauto str. 40 A LT-01112 Vilnius Tel: +370 5 2160780 aadukenquiries@mmm.com www.3m.lt</p>

© 3M 2020. 3M is a trademark of the 3M company. All rights reserved